

References

- **Adams, C.E., Stevens, K.E., (1998).** Inhibition of nitric oxide synthase disrupts inhibitory gating of auditory responses in rat hippocampus. *J. Pharmacol. Exp. Ther.* 287, 760–765.
- **Anderson BJ, Steinmetz JE. (1994)** Cerebellar and brainstem circuits involved in classical eyeblink conditioning. *Rev Neurosci.* Jul-Sep;5(3):251-73.
- **Bailey, D.J., Tetzlaff, J.E., Cook, J.M., He, X., Helmstetter, F.J., (2002).** Effects of hippocampal injections of a novel ligand selective for the alpha-5-beta-2-gama-2 subunits of the GABA/benzodiazepine receptor on Pavlovian conditioning. *Neurobiol. Learn. Mem.* 78, 1–10.
- **Berger, T.W., Berry, S.D., Thompson, R.F. (1986)** Role of Hippocampus in Classical Conditioning of Aversive and Appetitive Behaviors. In “**The Hippocampus**” Vol 4 Robert L. Isaacson, Karl H. Pribram (Editor).
- **Bernardi G, Cherubini E, Marciiani MG, Mercuri N, Stanzione P (1982)** Responses of intracellularly recorded cortical neurons to the iontophoretic application of dopamine. *Brain Res* 245:267–274.
- **Bingman VP, Hough GE 2nd, Kahn MC, Siegel JJ. (2003)** The homing pigeon hippocampus and space: in search of adaptive specialization. *Brain Behav Evol.*;62(2):117-27.
- **Braver TS, Cohen JD, Nystrom LE, Jonides J, Smith EE, Noll DC. (1997).** A parametric study of prefrontal cortex involvement in human working memory. *Neuroimage.* Jan;5(1):49-62.
- **Braver TS, Cohen JD. (1999)** Dopamine, cognitive control, and schizophrenia: the gating model *Prog Brain Res*;121:327-49
- **Cohen, M. and Grossberg, S. (1983)** Absolute stability of global pattern formation and parallel memory storage by competitive neural networks. *Transactions IEEE, SMC-13*, 815-826.
- **Courtney, S.M., Ungerleider, L.G., Keil, J.G. and Haxby, J.V. (1997).** Transient and sustained activity in a distributed neural system for human working memory. *Nature*, **386**, pp. 618-612.
- **Dreher, J.C., Burnod, Y. (2002)** An integrative theory of the phasic and tonic modes of dopamine modulation in the prefrontal cortex *Neural Networks* **15** 583–602
- **Durstewitz, D and Seamans, J.K. (2002).** The computational role of dopamine D1 receptors in working memory. *Neural Networks* 15 (2002) 561–572.
- **Edeline, J.M., Dutrieux, G., Neuenchwander-el, M.N., (1988).** Multiunit changes in hippocampus and medial geniculate body in free-behaving rats during acquisition and retention of a conditioned response to a tone. *Behav. Neural Biol.* 50, 61–79.
- **Eichenbaum, H., Kuperstein, M., Fagan, A., Nagode, J., (1987).** Cue-sampling and goal-approach correlates of hippocampal unit activity in rats performing an odor-discrimination task. *J. Neurosci.* 7, 716–732.
- **Fuster, J.M. and Alexander, G.E. (1971).** Neuron activity related to Short Term Memory. *Science*, **173**, pp. 652-654.
- **Kim, J.J. et al. (1995)** Hippocampectomy impairs the memory of recently, but not remotely, acquired trace eyeblink conditioned responses. *Behav. Neurosci.* 109, 195–203
- **Kubota, K. and Niki, H. (1973)** Prefrontal cortical unit activity and delayed alternation performance in monkeys. *J. Neurophysiol.*, **34**, pp. 337-347.
- **Floresco SB, Grace AA. (2003)** Gating of hippocampal-evoked activity in prefrontal cortical neurons by inputs from the mediodorsal thalamus and ventral tegmental area. *J Neurosci.* May 1;23(9):3930-43.
- **Gardner-Medwin, A. R. (1976)** The recall of events through the learning of associations between their parts. *Proc. R. Soc. London Ser. B* **194**, 375
- **Goldman-Rakic, P.S., Muly, E.C., Williams, G.V. (2000)** D₁ receptors in prefrontal cells and circuits. *Brain Research Reviews* **31** 295–301
- **Grossberg, S. (1973).** Contour enhancement, short term memory, and constancies in reverberating neural networks. *Studies of Mind and Brain*, Chapter 8. Kluwer / Reidel Press.
- **Grossberg S, Merrill JRW (1992)** A neural network model of adaptively timed reinforcement learning and hippocampal dynamics. *Cognitive Brain Research*, **1**: 3-38.
- **Grossberg S, Merrill JRW (1996)** The hippocampus and cerebellum in adaptively timed learning, recognition, and movement. *Journal of Cognitive Neuroscience* **8**:257-277.
- **Grossberg S. (1982)** Processing of expected and unexpected events during conditioning and attention: a psychophysiological theory. *Psychol Rev.* Sep;89(5):529-72.
- **Grossberg S, Schmajuck N.A. (1989).** A neural network model of adaptively timed reinforcement learning and hippocampal dynamics. *Neural Networks*, **2**, 79-102.

- **Gruber, O., & von Cramon, D. Y. (2001).** Domain-specific distribution of working memory processes along human prefrontal and parietal cortices. *Neuroimage*, 13, S679.
- **Gruber, O., & von Cramon, D. Y. (2003).** The functional neuroanatomy of human working memory revisited: Evidence from 3T-fMRI studies using classical domain-specific interference tasks. *Neuroimage*, 19, 797–809.
- **Hasselmo, M.E., Schnell, E., Barkai, E. (1995)** Dynamics of learning and recall at excitatory recurrent synapses and cholinergic modulation in hippocampal region CA3. *J. Neurosci.* 15(7): 5249-5262.
- **Hasselmo, M.E. (1995)** Neuromodulation and cortical function: modeling the physiological basis of behavior. *Behavioural Brain Research* 67, 1-27
- **Heyder K, Suchan B, Daum I. (2004)** Cortico-subcortical contributions to executive control. *Acta Psychol (Amst)*. Feb-Mar;115(2-3):271-89
- **Hollerman JR, Schultz W. (1998)** Dopamine neurons report an error in the temporal prediction of reward during learning. *Nat Neurosci.* Aug;1(4):304-9.
- **Holscher C. (2003)** Time, space and hippocampal functions. *Rev Neurosci.*;14(3):253-84.
- **Hopfield, J. J. (1982)** Neural networks as physical systems with emergent computational abilities. *Proc. Natl. Acad. Sci. U.S.A.* 79, 2554
- **Horvitz, J.C. (2002)** Dopamine gating of glutamatergic sensorimotor and incentive motivational input signals to the striatum, *Behavioural Brain Research* 137 65_ 74
- **Huerta PT, Sun LD, Wilson MA, Tonegawa S. (2000)** Formation of temporal memory requires NMDA receptors within CA1 pyramidal neurons. *Neuron*. Feb;25(2):473-80.
- **Honey, R.C., Watt, A., and Good, M. (1998).** Hippocampal lesions disrupt an associative mismatch process. *J. Neurosci.* 18, 2226–2230
- **Houk, J.C. (1995)** Chp 1: Information Processing in Modular Circuits Linking Basal Ganglia and Cerebral Cortex. In *Models of Information Processing in the Basal Ganglia*. Houk, J.C., Davis, J.L., and Beiser, D.G. (Eds.) The MIT Press, 3-9.
- **Knierim JJ. (2003)** Can we have our place and fear it too? *Neuron*. Feb 6;37(3):372-4.
- **Kim, J.J., Fanselow, M.S., (1992).** Modality-specific retrograde amnesia of fear. *Science* 256, 675–677.
- **Islas, C.G., and Hablitz, J.J. (2003)** Dopamine Enhances EPSCs in Layer II-III Pyramidal Neurons in Rat Prefrontal Cortex, *The Journal of Neuroscience* 23, (3): 867-875.
- **Lewis, B.R., and O'Donnel, P.O. (2000).** Ventral Tegmental Area maintains Pfc membrane potential “up” states in Pyramidal neurons via D1 dopamine receptors, *Cerebral cortex*, Vol. 10, 1168-1175.
- **Lidow, M.S., Williams, G.H., and Goldman-Rakic (1998).** The cerebral cortex: a case for a common site of action of antipsychotics, *Trends in Pharmacological Sciences*, Vol. 19, 136-140.
- **Lisman, J.E. (1999)** Relating hippocampal circuitry to function: recall of memory sequences by reciprocal dentate-CA3 interactions. *Neuron*, Vol. 22, 233–242
- **Luntz-Leybman, V., Bickford, P.C., Freedman, R., (1992).** Cholinergic gating of response to auditory stimuli in rat hippocampus. *Brain Res.* 587, 130–136.
- **Mauk, M.D. and Thompson, R.F. (1987)** Retention of classically conditioned eyelid responses following acute decerebration. *Brain Res.* 403, 89–95
- **Maren, S., Aharonov, G., Fanselow, M.S., (1997).** Neurotoxic lesions of the dorsal hippocampus and Pavlovian fear conditioning in rats. *Behav. Brain Res.* 88, 261– 274.
- **Marr, D. (1971)** Simple memory: a theory for archicortex. *Philos. Trans. R. Soc. London Ser. B* 262, 23.
- **McEchron MD, Bouwmeester H, Tseng W, Weiss C, Disterhoft JF. (1998)** Hippocampectomy disrupts auditory trace fear conditioning and contextual fear conditioning in the rat. *Hippocampus.*;8(6):638-46.
- **McNaughton, B. L. and Morris, R. G. M. (1987)** Hippocampal synaptic enhancement and storage within a distributed memory system. *Trends Neurosci.* 10, 408
- **Mishkin M.(1978)** Memory in monkeys severely impaired by combined but not by separate removal of amygdala and hippocampus. *Nature*. May 25;273(5660):297-8
- **Moyer, J.R. et al. (1990)** Hippocampectomy disrupts trace eye-blink conditioning in rabbits. *Behav. Neurosci.* 104, 243–252
- **Nakazawa K, Quirk MC, Chitwood RA, Watanabe M, Yeckel MF, Sun LD, Kato A, Carr CA, Johnston D, Wilson MA, Tonegawa S. (2002)** Requirement for hippocampal CA3 NMDA receptors in associative memory recall. *Science*. Jul 12;297(5579):211-8.
- **Nathe AR, Frank LM. (2003)** Making space for rats: from synapse to place code. *Neuron*. Aug 28;39(5):730-1.
- **Oades, R.D., and Halliday, G.M. (1987)** Ventral tegmental (A10) system: neurobiology. 1. Anatomy and connectivity. *Brain Res.* May;434(2):117-65.

- **O'Keefe, J., and Recce, M.L. (1993)** Phase relationship between place units and the EEG theta rhythm. *Hippocampus* 3, 317–330.
- **O'Keefe, J. and Burgess, N., Donnett, JG, Jeffery, KJ and Maguire, EA (1998)** Place cells, navigational accuracy, and the human hippocampus. *Philos Trans R Soc Lond B Biol Sci.* 353(1373):1333-40.
- **O'Keefe, J. and Burgess, N. (1999)** Theta activity, virtual navigation and the human hippocampus. *Trends in Cognitive Science* 3 403-406.
- **O'Reilly RC, Norman KA. (2002)** Hippocampal and neocortical contributions to memory: advances in the complementary learning systems framework. *Trends Cogn Sci.* Dec 1;6(12):505-510.
- **O'Reilly RC, Noelle DC, Braver TS, Cohen JD. (2002)** Prefrontal cortex and dynamic categorization tasks: representational organization and neuromodulatory control. *Cereb Cortex.* Mar;12(3):246-57.
- **Pavlov, I. P. (1927).** *Conditioned reflexes.* Oxford, UK: Oxford University.
- **Pavlov, I. P. (1903/1928).** Experimental psychology and psychopathology in animals. In I.P. Pavlov (Aut.), *Lectures on conditioned reflexes* (Vol. I, pp. 47-60). New York: International.
- **Pavlov, I. P. (1906/1928).** Scientific study of the so-called psychical processes in the higher animals. In I.P. Pavlov (Aut.), *Lectures on conditioned reflexes* (Vol. I, pp. 81-96). New York: International.
- **Pavlov, I. P. (1928).** *Lectures on conditioned reflexes* (Vol. 1). New York: International.
- **Posner, Michael I. (1989)** *Foundations Of Cognitive Science.* Posner, Michael I., Editor: The MIT Press.
- **Rolls, E. T. (1989)** in *The Computing Neuron*, R. Durbin, C. Miall, G. Mitchison, Eds. (Addison-Wesley, Wokingham, UK, pp. 125–159).
- **Rotenberg, A., Muller, R.U., (1997).** Variable place-cell coupling to a continuously viewed stimulus: evidence that the hippocampus acts as a perceptual system. *Philos. Trans. R. Soc. Lond., B Biol. Sci.* 352, 1505– 1513.
- **Sanders MJ, Wiltgen BJ, Fanselow MS. (2003)** The place of the hippocampus in fear conditioning. *Eur J Pharmacol.* Feb 28;463(1-3):217-23.
- **Sawaguchi T, Goldman-Rakic PS (1991)** D1 dopamine receptors in prefrontal cortex: involvement in working memory. *Science* 251:947–950.
- **Sawaguchi T, Goldman-Rakic PS (1994)** The role of D1-dopamine receptor in working memory: local injections of dopamine antagonists into the prefrontal cortex of rhesus monkeys performing an oculomotor delayed-response task. *J Neurophysiol* 71:515–528.
- **Seamans JK, Floresco SB, Phillips AG (1998)** D1 receptor modulation of hippocampal–prefrontal cortical circuits integrating spatial memory with executive functions in the rat. *J Neurosci* 18:1613–1621.
- **Schultz W., Dayan, P., and Montague, R. R. (1997)** A neural substrate of prediction and reward. *Science* 275: 1593–1599.
- **Schultz W, Apicella P, Ljungberg T. (1993)** Responses of monkey dopamine neurons to reward and conditioned stimuli during successive steps of learning a delayed response task. *J Neurosci*, 13:900-913.
- **Schultz W, Apicella P, Ljungberg T (1993)** Responses of monkey dopamine neurons to reward and conditioned stimuli during successive steps of learning a delayed response task. *J Neurosci* 13:900 –913.
- **Skaggs, W.E., and McNaughton, B.L. (1996).** Replay of neuronal firing sequences in rat hippocampus during sleep following spatial experience. *Science* 271, 1870–1873.
- **Sokolov, E.N. (1963)** *Perception and the orienting reflex.* NY: MacMillan.
- **Solomon PR, Vander Schaaf ER, Thompson RF, Weisz DJ. (1986)** Hippocampus and trace conditioning of the rabbit's classically conditioned nictitating membrane response. *Behav Neurosci.* Oct; 100(5):729-44.
- **Squire LR, Clark RE, Knowlton BJ. (2001)** Retrograde amnesia. *Hippocampus*.;11(1):50-5.
- **Suzuki WA. (2003)** Declarative versus episodic: two theories put to the test. *Neuron.* Apr; 38(1):5-7.
- **Sutton, R.S. and Barto, A.G. (1981)** Towards a modern theory of adaptive networks: expectation and prediction. *Psychological Review*;Vol. 88, No.2, 135-170.
- **Swanson, L.W. (1982)** The projections of the ventral tegmental area and adjacent regions: a combined fluorescent retrograde tracer and immunofluorescence study in the rat. *Brain Res Bull.* Jul-Dec;9(1-6):321-53.
- **Vinogradova OS. (2001)** Hippocampus as comparator: role of the two input and two output systems of the hippocampus in selection and registration of information. *Hippocampus*.;11(5):578-98.
- **Waelti, P., Dickinson, A. and Schultz, W. (2001)** Dopamine responses comply with basic assumptions of formal learning theory. *Nature*, 412:43-48.
- **Watanabe M, Kodama T, Hikosaka K (1997)** Increase of extracellular dopamine in primate prefrontal cortex during a working memory task. *J Neurophysiol* 78:2795–2798.
- **Williams GV, Goldman-Rakic PS. (1995)** Modulation of memory fields by dopamine D1 receptors in prefrontal cortex. *Nature.* Aug 17;376(6541):572-5.

- **Wood, E.R., Dudchenko, P.A., Eichenbaum, H., (1999).** The global record of memory in hippocampal neuronal activity. *Nature* 397, 616.
- **Woodruff-Pak, D.S. et al. (1985)** Trace conditioning: abolished by cerebellar nuclear lesions but not lateral cerebellar cortex aspirations. *Brain Res.* 348, 249–260
- **Zahm, D.S. (2000)** An integrative neuroanatomical perspective on some subcortical substrates of adaptive responding with emphasis on the nucleus Accumbens. *Neuroscience and Biobehavioral Reviews* 24, 85–105
- **Zipser D. (1986)** A model of hippocampal learning during classical conditioning. *Behav Neurosci.* Oct;100(5):764-76.